Identifying New Vehicles in Multistate Enteric Outbreaks

41 new vehicles identified since 2006

1. Bagged spinach
2. Carrot juice
3. Peanut butter
4. Broccoli powder on a snack food
5. Dog food
6. Pot pies/frozen meals
7. Canned hot dog chili sauce
8. Fresh hot chili peppers
9. Black pepper
10. Tahini sesame paste
11. Raw cookie dough
12. Aquatic water frogs
13. Fresh papaya
14. Frozen mamay fruit pulp
15. Bologna
16. In-shell hazelnuts
17. Pine nuts
18. Par-cooked, broiled chicken livers
19. Scraped tuna
20. Cashew cheese
21. Bearded dragons
22. Sugar cane juice
23. Sprouted chia seeds
24. Almond butter
25. Caramel apples
26. Sprouted nut butters
27. Dried mushrooms (in truffle oil puree)
28. Crested geckos
29. Pistachios
30. Wheat flour
31. Powdered meal supplements
32. Soy nut butter
33. Frozen packaged vegetables
34. Fresh, frozen and dried coconut
35. Kratom powder
36. Bison
37. Wood Ear Mushrooms
38. Enoki Mushrooms
39. Onions
40. Pre-cooked shrimp
41. Stone fruits (including peaches)

Updated:
04/22/2022



Salmonella enterica subsp. Enterica serovar Alachua isolates (in red) are identical (0-2 SNP) to a surveillance sample of chicken from 2019.

Salmonella enterica subsp. Enterica serovar Montevideo isolates (in blue) are median of 16 SNPs from beef and cattle isolates from 2018, 2019 and 2020..